




LEA_IT_BOX5001000



Junction and Measurement Boxes

www.pizzi-instruments.it
Instruments and Systems for Geotechnical and Structural Monitoring

LEA_IT_BOX5001000

Junction and Measurement Boxes



Description

Our product range includes several specifically designed devices which perform the function of collecting, switching and measuring for the various sensors manufactured by Pizzi Instruments. The boxes are available in resin as standard and can be provided in stainless steel or aluminium on request.

The junction and measurement boxes collect one or more instrument cables from one or more sensors and combine them into a single multi-core cable for transfer to remote locations. The boxes are provided with appropriate diameter cable glands, both for incoming signal cables, and multi-core exit cables.

If provided with appropriate terminal block with bushings, it is also possible to use a portable read out unit for local manual measurement.


The boxes accept instruments of all types: vibrating wire, analog, digital, resistance thermometers, crack meters, strain gauges, piezometers, coordinometers for pendulums etc.

The use of these boxes enables the rationalization of the system, thus allowing the immediate organization of provisional (and definitive) measurement points and the optimization of costs for the cables and the entire signal distribution system.

Applications _____

Our instruments can be used in all monitoring systems, both in protected environments and in harsh conditions, in simple or in structured systems, for structural, geotechnical and geological monitoring.

- Dams
- Tunnels
- Road and rail embankments
- Bridges
- Monuments
- Public and civil constructions
- Archaeological areas
- Ancient artifacts
- Different applications



Features and benefits _____

Junction and measure panels are made by a box of adequate size, with IP56 protection as standard (higher protection degree on request), of type Gewiss or similar (optional: aluminum or steel). The panels equipped for measurement contain terminal blocks mounted on DIN bar for the connection of conductors and measuring bushings for connection to the contact pin of the portable units.

Junction and measure boxes are made of an appropriately sized waterproof enclosure with IP56 protection as standard (higher protection on request), Gewiss type or similar (aluminum/steel optional).

The measurement boxes contain terminal blocks mounted on a DIN bar for the connection of conductors

and measuring bushings for connection by PIN to the portable units. They are available in standard version for accepting 1-2-3-5-10-15-20 instruments connected with 2 or 3 wires cables. Other options on request. The entrance of the cables coming from the sensors or other boxes. Is realised by cable glands fixed to the side walls of the boxes themselves.


All boxes produced by us allow the gradual insertion of instruments during the installation phase. If necessary, they can be equipped with a bronze filter for compensating barometric pressure.


Simple and functional, they have an unscrewable cover (hinged cover on request) and contact measuring bushings.

Operation _____

Simply unscrew the cover and insert the terminals of the read out unit in the busings of the instrument you want to measure.

Technical specifications



	MOD.	A	B	C	Peso (Kg)
	P5	250 mm	200 mm	140 mm	3,8
	P10	300 mm	250 mm	140 mm	4,8
	P20	400 mm	300 mm	140 mm	8
	P30	400 mm	300 mm	140 mm	8,5
	P >30	Esecuzione speciale			

Protection Degree	IP 56
Protection against indirect contacts	Double Insulation
Installation temperature	Max +60°C; Min -25°C
Maximum voltage of use (Ue)	750V
Rated insulation voltage Ui:	750V
Material	GW PLAST 120, Halogen Free according to CEI EN 50267-2-2
Shock resistance	IK 08 according to EN 62262
Heat resistance	Thermo-pressure with ball 110°C
Resistance to abnormal heat and fire	Glow wire test 650°C

Technical Assistance _____

If you have any requests or questions about our instruments or if you have special needs that require different solutions from the standard, please contact us. Our team will provide all the necessary information and will be very happy to work with you to study, develop and customize instruments and solutions suitable for your specific needs.

LEA_IT_BOX5001000

Junction and Measurement Boxes

The product information may be subject to variations at any time.
Please carefully check the release and contact Pizzi Instruments for further details.

Pizzi Instruments S.r.l.
Via del Fornaccio 46
50012 - Bagno a Ripoli (FI) - Italy

Tel: +39 055 6810722 Fax: +39 055 6584923
info@pizzi-instruments.it
www.pizzi-instruments.it

